

Lead-Free & RoHs Compliance!!

SPECIFICATION FOR APPROVAL

| CUSTOMER | • |
|----------|---|
| | • |

CUSTOMER P/N:

OUR DWG No:

QUANTITY :

Pcs. DATE :

ITEM:

0

LVS606045L-SERIES

2013/05/20

| - | IFICATION EPTED BY: |
|--|--|
| COMPONENT ENGINEER | |
| ELECTRICAL ENGINEER | |
| MECHANICAL ENGINEER | |
| APPROVED | |
| REJECTED | |
| 奇力新電子股份有限公司 CHILISIN ELECTRONICS CORP. NO.29,LANE 301,TEHHSIN ROAD,HUKOU, HSINCHU,TAIWAN,303, REPUBLIC OF CHINA TEL: (03) 599-2646 FAX: (03) 599-9176 E-mail: Sales@chilisin.com.tw | 東莞奇力新電子有限公司 Chilisin Electronics (Dongguan) Co., Ltd. No. 78, Puxing Rd., Yuliangwei Administration Area, Qingxi Town, Dongguan City, Guangdong,China TEL:+86-769-8773-0251~3 FAX:+86-769-8773-0232 E-mail:cect@chilisin.com.tw |
| http://www.chilisin.com.tw 台北營業處 Taipei Office 1F., No.2, Aly. 1, Ln. 235, Baoqiao Rd., Xindian Dist., New Taipei City 231, Taiwan | 奇力新電子(蘇州)有限公司 Chilisin Electronics (Suzhou) Co., Ltd. No.143,Song Shan Rd., Suzhou New District, Suzhou,China |

TEL:+886-2-6629-5588~9 FAX: +886-2-6629-0088 E-mail : Sales@chilisin.com.tw

Postal Code:215129 TEL:+86-512-6841-2350 FAX:+86-512-6841-2356 E-mail : suzhou@chilisin.com.tw

DRAWN BY 陳秋霞 candy.chen


CHECKED BY 鍾德慶 shawn.zhong

APPROVED BY 陳瑞揚 ryan.chen

YG13501375




LVS606045L Series Specification







LVS606045L Series Specification

6 Configuration and Dimensions:







| • | TYPE | LVS606045L |
|---|------|-------------------------|
| | А | 6.0±0.2 m/m |
| 1 | в | 6.0±0.2 m/m |
| 1 | С | 4.5 ^{+0.2} m/m |
| | D | 1.8±0.3 m/m |
| 1 | E | 4.0 typ. m/m |

7 ELECTRICAL CHARACTERISTICS :

| Part No. | Inductance (uH) | Test Freq. | RDC (mΩ)Max. | lsat(A) Typ.(Max) | Irms(A) Typ.(Max) | Tolerance (±%) | Marking |
|-------------------|--------------------|------------|-----------------|----------------------|----------------------|-------------------|---------|
| LVS606045L-R50□-N | 0.5 | 100kHz,1V | 9 | 11(9.90) | 8.0(7.20) | 30 | R50 |
| LVS606045L-2R2□-N | 2.2 | 100kHz,1V | 17 | 6.8(6.12) | 5.5(4.95) | 20,30 | 2R2 |
| LVS606045L-3R3□-N | 3.3 | 100kHz,1V | 24 | 5.5(4.95) | 4.7(4.23) | 20,30 | 3R3 |
| LVS606045L-4R7□-N | 4.7 | 100kHz,1V | 30 | 4.6(4.14) | 4.0(3.60) | 20,30 | 4R7 |
| LVS606045L-6R8□-N | 6.8 | 100kHz,1V | 40 | 4.0(3.60) | 3.5(3.15) | 20,30 | 6R8 |
| LVS606045L-100□-N | 10 | 100kHz,1V | 50 | 3.2(2.88) | 3.2(2.88) | 20,30 | 100 |
| LVS606045L-150□-N | 15 | 100kHz,1V | 80 | 2.6(2.34) | 2.5(2.25) | 20,30 | 150 |
| LVS606045L-220□-N | 22 | 100kHz,1V | 120 | 2.1(1.89) | 2.0(1.80) | 20,30 | 220 |
| LVS606045L-330□-N | 33 | 100kHz,1V | 170 | 1.7(1.53) | 1.6(1.44) | 20,30 | 330 |
| LVS606045L-101□-N | 100 | 100kHz,1V | 595 | 0.95(0.85) | 0.92(0.82) | 20,30 | 101 |

NOTE:
--tolerance M=±20% / T=±30%

1.Operating temperature range - $5\ {\rm °C}$ \sim $1\ 2\ 5\ {\rm °C}$ (Including self - temperature rise)

2.Isat for Inductance drop 30% from its value without current.


3.Irms for a 40 $^\circ\!\mathrm{C}$ rise above 25 $^\circ\!\mathrm{C}$ ambient.

"-N" FOR COMPLETELY LEAD FREE TYPE(INCLUDING FERRITE BODY & SOLDER)



LVS606045L Series Specification

8 LVS606045L Series 8.1 Construction:



8.2 Material List:

| ITEM | PART | DESCRIPTION | SUPPLIES |
|------|----------|-----------------------|-------------|
| 1 | CORE | FERRITE | CHILISIN |
| 2 | TERMINAL | Ag/Ni/Sn | |
| 3 | WIRE | Grade 180 | ELEKTRISOLA |
| 4 | EPOXY | Magnetic powder resin | |



LVS606045L Series Specification

9 Reliability Of Wire Wound Power Inductors

1-2-4 Temperature Cycle

| | lechanical Performa | | Test Method |
|-------|-----------------------|-------------------------------|---|
| | Item | Specification | |
| -1-1 | Bending Test | Chip coil shall not be | Substrate:Glass-epoxy substrate(100mm*40mm*1.6mm) |
| | | damaged after tested as test | speed of Applying Force:1mm/s |
| | | method | Deflection:2mm |
| | | | Hold Duration:30s |
| | | | |
| | | | Deflection |
| | | | 45 45 Product (in mm) |
| 112 | Vibration | - | Oscillation Frequency:10Hz to 55 Hz to 10 hZ for 1 min |
| 1-1-2 | VIDIALION | | Total Amplitude:1.5mm |
| | | | Testing Time: A period of 2 hours in each of 3 mutually |
| | | | perpendicular directions(Total 6 hours) |
| 1-1-3 | Solderability | The wetting area of the | Solder:Sn/Ag3.0/Cu0.5 |
| | | electrode shall be at least | per-Heating:150℃±10℃/1min to 2min |
| | | | solder Temperature:245℃±5℃ |
| 4 4 4 | De sistemas te | coating | Immersion Time:4s±1s |
| 1-1-4 | Resistance to | Appearance:No damage | Solder:Sn/Ag3.0/Cu0.5 |
| | Soldering Heat | | per-Heating:150℃±10℃/1min to 2min solder Temperature:260℃±5℃ |
| | | | Immersion Time:10s±1s |
| 1-1-5 | Resistance to solvent | There must be no change in | Inductors must withstand 6 minutes of alcohol or water. |
| • • • | | appearance or obliteration of | |
| | | marking. | |
| 1-2 F | nvironmental Perfo | | |
| No | Item | Specification | Test Method |
| - | Heat Resistance | Appearance: No damage | Temperature:125°C±3°C |
| 1-2-1 | neal Resistance | Inductance Change:within±10% | Time:500h |
| | | | Then measured after exposure in the room |
| | | | Condition for 24h±2h |
| 1-2-2 | Cold Resistance | 1 | Temperature: -55℃±3℃ |
| | | | Time:500h |
| | | | Then measured after exposure in the room |
| 4 0 0 | 1.1 | - | Condition for 24h±2h |
| 1-2-3 | Humidity | | Temperature: 40°C ±2°C |
| | | | Humidity:90%(RH) to 95%(RH) Time:500h |
| | | | Then measures after exposure in the room |
| | 1 | | |
| | | | Condition for 24h±2h |

One cycle: Step

> 1 2

3

4

Total: 100cycles

Temperature (°C

-55±3

25±2

125±3

25±2

Measured after exposure in the room condition for 24hrs

Time (min)

30

3


30

3



9 CHILISIN ELECTRONICS CORP.

LVS606045L Series Specification



| - | | | | | |
|---------------------|---|--------------|----------------------|-------------|---|
| 標準時間 Time spec. | | 60 ~ 180 sec | 60 ~ 150 <i>s</i> ec | 20 ~ 40 sec | _ |
| 實際時間 Time result | _ | 75 ~ 100 sec | 90 ~ 120 sec | 5 ~ 10 sec | 1 |

NOTE :

1. Re-flow possible times : within 2 times

2. Nitrogen adopted is recommended while in re-flow




LVS606045L Series Specification

11 PACKAGING

11.1 Packaging -Cover tape


The force for tearing off cover tape is 10 to 130 grams in the arrow direction.



11.2 Packaging Quantity

| ТҮРЕ | BULK | PCS/REEL |
|------------|------|----------|
| LVS606045L | 1 | 1000 |

11.3 Reel Dimensions



| Reel Dimension : | m/m | | | |
|------------------|-----|-----|----|------|
| TYPE | А | В | С | D |
| LVS606045L | 330 | 100 | 13 | 17.4 |




9 CHILISIN ELECTRONICS CORP.


LVS606045L Series Specification

11 PACKAGING

11.4 Tape Dimensions in mm



12 Recommended Pattern



| Dimensions in mm | 1 | | |
|------------------|--------|--------|--------|
| TYPE | A(m/m) | B(m/m) | C(m/m) |
| LVS606045L | 4.5 | 2.0 | 2.4 |

13 Note:

- 1. Please make sure that your product is has been evaluated and confirmed against your specifications when our product is mounted to your product.
- 2. Do not knock nor drop.
- 3. All the items and parameters in this product specification have been prescribed on the premise that our product is used for the purpose, under the condition and in the environment agreed upon between you and us. You are requested not to use our product deviating from such agreement.
- 4. Please keep the distance between transformer/coil and other components (refer to the standard IEC 950)



LVS606045L Series Specification

13 Note:

- 5.Storage and Handing Requirements
 - (1)Storage period
 - Use the products within 12 months after delivered
 - Solderability should be checked if this period is exceeded
- (2)Storage conditions
 - *Products should be stored in the warehouse on the following conditions
 - Temperature: -10°C ~ 40°C

Humidity $: 30\% \sim 70\%$ relative humidity no rapid change on temperature and humidity The electrode of the products is coated with solder.Don't keep products in corrosive gases such as sulfur, chlorine gas or acid, or it may cause oxidization of electrode, resulting in poor solderability.

*Products should not be storaged on bulk packaging condition to prevent the chipping of the core and the breaking of winding wire caused by the collision between the products.


*Products should be storaged on the palette for the prevention of the influence from humidity, dust and so on.

*Products should be storaged in the warehouse without heat shock,vibration,direct sunlight and so on.

(3)Handing Condition

Care should be taken when transporting or handing product to avoid excessive vibration or mechanical shock.

6. Void Appearance tolerance Limit



$$\begin{array}{l} A \leq W/2 \text{ GOOD} \\ A > W/2 \text{ NG} \end{array}$$